









TAURUS
CRACO









**TAURUS
CRACO**



TAPEMASTER M/L

TAPE WRAPPING SERIES





**TAURUS
CRACO**

UNPACK THE INNOVATIVE TECHNOLOGIES

TAPEMASTER M/L

The machine is ideal for packing staffs with adhesive tape in the semi-automatic mode.

The roll of tape can be either standard or with a customer logo. Ideal for winding and sprinkling: cardboard with stuff, furniture pieces, various profiles, frames and other products.

By this way, the tape does not damage the cardboard shape. Thanks to automatic positioning, the equipment accurately applies the required part to the tape and in all products equally.

This equipment is easy to master control and requires very low maintenance.





TAURUS CRACO

TAPEMASTER

BOXES



TAPE WRAPPING

TECHNICAL FEATURES

PRODUCT TO TAPE DIMENSIONS

Max. Width x Height	mm/inch
Min. Width x Height	mm/inch
Min. Length	mm/inch

TAPEMASTER M

980 x 260	$38\frac{37}{64}$ " x $10\frac{15}{64}$ "
350 x 50	$13\frac{25}{32}$ " x $1\frac{31}{32}$ "
400	$15\frac{3}{4}$ "

TAPEMASTER L

1270 x 320	50 " x $12\frac{19}{32}$ "
500 x 50	$19\frac{11}{16}$ " x $1\frac{31}{32}$ "
400	$15\frac{3}{4}$ "

ROLLER TABLE'S FEATURES(INFEED & OUTFEED)

Length	mm/inch
Working Height	mm/inch
Loading Capacity	kg

700	$27\frac{9}{16}$ "
1000	$39\frac{3}{8}$ "
100	

700	$27\frac{9}{16}$ "
1000	$39\frac{3}{8}$ "
100	

ADHESIVE TAPE FEATURES

Tape Width	mm/inch
Max. Tape Roll Diameter	mm/inch
Tape Roll Core Diameter	mm/inch

45 - 65	$1\frac{49}{64}$ " - $2\frac{2}{16}$ "
Ø250	$9\frac{27}{32}$ "
Ø76	$2\frac{63}{64}$ "

45 - 65	$1\frac{49}{64}$ " - $2\frac{2}{16}$ "
Ø250	$9\frac{27}{32}$ "
Ø76	$2\frac{63}{64}$ "

MACHINE GENERAL FEATURES

Total Power	kW
Ring Rotation Speed	rpm
Average Cycle Time	seconds
*Electric Supply	Volt - Hz
Required Compressed Air	Bar
Air Consumption	Lt/Cycle
Standard Machine Dimensions (W x H x L)	mm/inch
Total Weight	kg

1,1	
28	
5	
380 Volt - 50/60 Hz - 3P+1N+1G	
Min. 6	
8	
1680 x 2152 x 1530	
515	

1,1	
28	
6	
380 Volt - 50/60 Hz - 3P+1N+1G	
Min. 6	
8	
1980 x 2152 x 1540	$77\frac{61}{64}$ " x $84\frac{23}{32}$ " x $60\frac{5}{8}$ "
570	

* 208 Volt, 380 Volt, 415 Volt, 480 Volt 50/60 Hz (optional)





**TAURUS
CRACO**

UNPACK THE INNOVATIVE TECHNOLOGIES

TAPEMASTER M/L

Keep your products in safe!

Flexible and universal packaging solutions for many industries. From small productions to huge manufacturing areas. Our team will help you to search the optimal equipment for your production needs.



Profile



Furniture




Wood



Pipes



Metal



Parquet



Pvc Profile



Door jumb

WHICH
sector
is yours



TAURUS
CRACO

UNPACK THE INNOVATIVE TECHNOLOGIES

TAPEMASTER M/L

Advantage contents applicable to carton box machine.



Productivity;

Provides reduction in energy consumption and cost of packaging materials.



Practicality;

User-friendly touch panel has 5 different operating modes and recipes.



Ergonomics;

It provides easy adjustment of the machine parameters by touch panel screen.



Protection;

Optimal protection of products from external factors, reducing damages during transportation.



Immutability;

It provides an uniform shape of the packaging standard for all products.



Flexibility;

It allows to pack workpieces with different heights, lengths and thickness.



Strength;

It contains the long-lasting parts for serial usage and operation.

WHAT
are the
main
advantages



TAURUS
CRACO

TAPE WRAPPING

